



Medicare & Medicaid EHR Incentive Program

Meaningful Use Stage 1 Requirements Summary

2010





What are the Requirements of Stage 1 Meaningful Use?

- Basic Overview of Stage 1 Meaningful Use:
 - Reporting period is 90 days for first year and 1 year subsequently
 - Reporting through attestation
 - Objectives and Clinical Quality Measures
 - Reporting may be yes/no or numerator/denominator attestation
 - To meet certain objectives/measures, 80% of patients must have records in the certified EHR technology



What are the Requirements of Stage 1 Meaningful Use?

- Stage 1 Objectives and Measures Reporting
- Eligible Professionals must complete:
 - 15 core objectives
 - 5 objectives out of 10 from menu set
 - 6 total Clinical Quality Measures
(3 core or alternate core, and 3 out of 38 from alternate set)
- Hospitals must complete:
 - 14 core objectives
 - 5 objectives out of 10 from menu set
 - 15 Clinical Quality Measures



Applicability of Meaningful Use Objectives and Measures

- Some MU objectives not applicable to every provider's clinical practice, thus they would not have any eligible patients or actions for the measure denominator. Exclusions do not count against the 5 deferred measures
- In these cases, the eligible professional, eligible hospital or CAH would be excluded from having to meet that measure
 - Eg: Dentists who do not perform immunizations; Chiropractors do not e-prescribe



Meaningful Use Denominators

- Two types of percentage based measures are included in demonstrating Meaningful Use:
 1. Denominator is all patients seen or admitted during the EHR reporting period
 - The denominator is all patients regardless of whether their records are kept using certified EHR technology
 2. Denominator is actions or subsets of patients seen or admitted during the EHR reporting period
 - The denominator only includes patients, or actions taken on behalf of those patients, whose records are kept using certified EHR technology



MU: Stage 1 Core Set Objectives

Health Outcomes Policy Priority	Stage 1 Objective	Stage 1 Measure
Improving quality, safety, efficiency, and reducing health disparities	Use CPOE for medication orders directly entered by any licensed healthcare professional who can enter orders into the medical record per state, local, and professional guidelines	More than 30% of unique patients with at least one medication in their medication list seen by the EP or admitted to the eligible hospital or CAH have at least one medication entered using CPOE
	Implement drug-drug and drug-allergy interaction checks	The EP/eligible hospital/CAH has enabled this functionality for the entire EHR reporting period
	EP Only: Generate and transmit permissible prescriptions electronically (eRx)	More than 40% of all permissible prescriptions written by the EP are transmitted electronically using certified EHR technology
	Record demographics: preferred language, gender, race, ethnicity, date of birth, and date and preliminary cause of death in the event of mortality in the eligible hospital or CAH	More than 50% of all unique patients seen by the EP or admitted to the eligible hospital or CAH have demographics as recorded structured data
	Maintain up-to-date problem list of current and active diagnoses	More than 80% of all unique patients seen by the EP or admitted to the eligible hospital or CAH have at least one entry or an indication that no problems are known for the patient recorded as structured data



MU: Stage 1 Core Set Objectives

Health Outcomes Policy Priority	Stage 1 Objective	Stage 1 Measure
Improving quality, safety, efficiency, and reducing health disparities	Maintain active medication list	More than 80% of all unique patents seen by the EP or admitted to the eligible hospital or CAH have at least one entry (or an indication that the patient is not currently prescribed any medication) recorded as structured data
	Maintain active medication allergy list	More than 80% of all unique patents seen by the EP or admitted to the eligible hospital or CAH have at least one entry (or an indication that the patient has no known medication allergies) recorded as structured data
	Record and chart vital signs: height, weight, blood pressure, calculate and display BMI, plot and display growth charts for children 2-20 years, including BMI	For more than 50% of all unique patients age 2 and over seen by the EP or admitted to the eligible hospital or CAH, height, weight, and blood pressure are recorded as structured data
	Record smoking status for patients 13 years old or older	More than 50% of all unique patients 13 years or older seen by the EP or admitted to the eligible hospital or CAH have smoking status recorded as structured data
	Implement one clinical decision support rule and the ability to track compliance with the rule	Implement one clinical decision support rule
	Report clinical quality measures to CMS or the States	For 2011, provide aggregate numerator, denominator, and exclusions through attestation; For 2012, electronically submit clinical quality measures



MU: Stage 1 Core Set Objectives

Health Outcomes Policy Priority	Stage 1 Objective	Stage 1 Measure
Engage patients and families in their healthcare	Provide patients with an electronic copy of their health information (including diagnostic test results, problem list, medication lists, medication allergies, discharge summary, procedures), upon request	More than 50% of all unique patients of the EP, eligible hospital or CAH who request an electronic copy of their health information are provided it within 3 business days
	Hospitals Only: Provide patients with an electronic copy of their discharge instructions at time of discharge, upon request	More than 50% of all patients who are discharged from an eligible hospital or CAH who request an electronic copy of their discharge instructions are provided it
	EPs Only: Provide clinical summaries for each office visit	Clinical summaries provided to patients for more than 50% of all office visits within 3 business days
Improve care coordination	Capability to exchange key clinical information (ex: problem list, medication list, medication allergies, diagnostic test results), among providers of care and patient authorized entities electronically	Performed at least one test of the certified EHR technology's capacity to electronically exchange key clinical information
Ensure adequate privacy and security protections for personal health information	Protect electronic health information created or maintained by certified EHR technology through the implementation of appropriate technical capabilities	Conduct or review a security risk analysis per 45 CFR 164.308(a)(1) and implement updates as necessary and correct identified security deficiencies as part of the EP's, eligible hospital's or CAH's risk management process



MU: Stage 1 Menu Set Objectives

Health Outcomes Policy Priority	Stage 1 Objective	Stage 1 Measure
Improving quality, safety, efficiency, and reducing health disparities	Implement drug-formulary checks	The EP/eligible hospital/CAH has enabled this functionality and has access to at least one internal or external drug formulary for the entire EHR reporting period
	Hospitals Only: Record advance directives for patients 65 years old or older	More than 50% of all unique patients 65 years old or older admitted to the eligible hospital or CAH have an indication of an advance directive status recorded
	Incorporate clinical lab-test results into certified EHR technology as structured data	More than 40% of all clinical lab test results ordered by the EP, or an authorized provider of the eligible hospital or CAH, for patients admitted during the EHR reporting period whose results are either in a positive/negative or numerical format are incorporated in certified EHR technology as structured data
	Generate lists of patients by specific conditions to use for quality improvement, reduction of disparities, research or outreach	Generate at least one report listing patients of the EP, eligible hospital or CAH with a specific condition
	EPs Only: Send reminders to patients per patient preference for preventive/follow-up care	More than 20% of all unique patients 65 years or older or 5 years old or younger were sent an appropriate reminder during the EHR reporting period



MU: Stage 1 Menu Set Objectives

Health Outcomes Policy Priority	Stage 1 Objective	Stage 1 Measure
Engage patients and families in their health care	EPs Only: Provide patients with timely electronic access to their health information (including lab results, problem list, medication lists, medication allergies) within 4 business days of the information being available to the EP	More than 10% of all unique patients seen by the EP are provided timely (available to the patient within 4 business days of being updated in the certified EHR technology) electronic access to their health information subject to the EP's discretion to withhold certain information
	Use certified EHR technology to identify patient-specific education resources and provide those resources to the patient, if appropriate	More than 10% of all unique patients seen by the EP or admitted to the eligible hospital or CAH are provided patient-specific education resources
Improve care coordination	The EP, eligible hospital or CAH who receives a patient from another setting of care or provider of care or believes an encounter is relevant should perform medication reconciliation	The EP, eligible hospital or CAH performs medication reconciliation for more than 50% of transitions of care in which the patient is transitioned into the care of the EP or admitted to the eligible hospital or CAH
	The EP, eligible hospital or CAH who receives a patient from another setting of care or provider of care or refers their patient to another provider of care should provide a summary of care record for each transition of care or referral	The EP, eligible hospital or CAH who transitions or refers their patient to another setting of care or provider of care provides a summary of care record for more than 50% of transitions of care and referrals



MU: Stage 1 Menu Set Objectives

Health Outcomes Policy Priority	Stage 1 Objective	Stage 1 Measure
Improve population and public health¹	Capability to submit electronic data to immunization registries or Immunization Information Systems and actual submission in accordance with applicable law and practice	Performed at least one test of the certified EHR technology’s capacity to submit electronic data to immunization registries and follow-up submission if the test is successful (unless none of the immunization registries to which the EP, eligible hospital or CAH submits such information have the capacity to receive such information electronically)
	Hospitals Only: Capability to submit electronic data on reportable (as required by state or local law) lab results to public health agencies and actual submission in accordance with applicable law and practice	Performed at least one test of certified EHR technology’s capacity to provide submission of reportable lab results to public health agencies and follow-up submission if the test is successful (unless none of the public health agencies to which the EP, eligible hospital or CAH submits such information have the capacity to receive such information electronically)
	Capability to submit electronic syndromic surveillance data to public health agencies and actual submission in accordance with applicable law and practice	Performed at least one test of certified EHR technology’s capacity to provide electronic syndromic surveillance data to public health agencies and follow-up submission if the test is successful (unless none of the public health agencies to which the EP, eligible hospital or CAH submits such information have the capacity to receive such information electronically)

¹Unless an EP, eligible hospital or CAH has an exception for all of these objectives and measures they must complete at least one as part of their demonstration of the menu set in order to be a meaningful EHR user.
<http://www.cms.gov/EHRIncentivePrograms/>



States Flexibility to Revise Meaningful Use

- States can seek CMS prior approval to require 4 MU objectives be core for their Medicaid providers:
 - Generate lists of patients by specific conditions for quality improvement, reduction of disparities, research, or outreach (can specify particular conditions)
 - Reporting to immunization registries, reportable lab results, and syndromic surveillance (can specify for their providers how to test the data submission and to which specific destination)



Meaningful Use for EPs Working in Multiple Settings

- An Eligible Professional who works at multiple locations, but does not have certified EHR technology available at all of them would:
 - Have to have 50% of their total patient encounters at locations where certified EHR technology is available
 - Would base all meaningful use measures only on encounters that occurred at locations where certified EHR technology is available



Meaningful Use for Hospitals that Qualify for Both Medicare & Medicaid Payments

- Applies to sub-section (d) and acute care hospitals
- Attest/Report on Meaningful Use to CMS for the Medicare EHR Incentive Program
- Will be deemed meaningful users for Medicaid (even if the State has CMS approval for the MU flexibility around public health objectives)



Meaningful Use: Clinical Quality Measures

- **Details of Clinical Quality Measures**
 - 2011 – Eligible Professionals, eligible hospitals and CAHs seeking to demonstrate Meaningful Use are required to submit aggregate CQM numerator, denominator, and exclusion data to CMS or the States by ATTESTATION.
 - 2012 – Eligible Professionals, eligible hospitals and CAHs seeking to demonstrate Meaningful Use are required to electronically submit aggregate CQM numerator, denominator, and exclusion data to CMS or the States.



Meaningful Use: Clinical Quality Measures

- **Eligible Professionals– Core Set CQMs**

NQF Measure Number & PQRI Implementation Number	Clinical Quality Measure Title
NQF 0013	Hypertension: Blood Pressure Measurement
NQF 0028	Preventive Care and Screening Measure Pair: a) Tobacco Use Assessment, b) Tobacco Cessation Intervention
NQF 0421 PQRI 128	Adult Weight Screening and Follow-up



Meaningful Use: Clinical Quality Measures

- **Eligible Professionals – Alternate Core Set CQMs**

NQF Measure Number & PQRI Implementation Number	Clinical Quality Measure Title
NQF 0024	Weight Assessment and Counseling for Children and Adolescents
NQF 0041 PQRI 110	Preventive Care and Screening: Influenza Immunization for Patients 50 Years Old or Older
NQF 0038	Childhood Immunization Status



MU: Clinical Quality Measures

- **Additional Set CQM– EPs must complete 3 of 38**

1. Diabetes: Hemoglobin A1c Poor Control
2. Diabetes: Low Density Lipoprotein (LDL) Management and Control
3. Diabetes: Blood Pressure Management
4. Heart Failure (HF): Angiotensin-Converting Enzyme (ACE) Inhibitor or Angiotensin Receptor Blocker (ARB) Therapy for Left Ventricular Systolic Dysfunction (LVSD)
5. Coronary Artery Disease (CAD): Beta-Blocker Therapy for CAD Patients with Prior Myocardial Infarction (MI)
6. Pneumonia Vaccination Status for Older Adults
7. Breast Cancer Screening
8. Colorectal Cancer Screening
9. Coronary Artery Disease (CAD): Oral Antiplatelet Therapy Prescribed for Patients with CAD
10. Heart Failure (HF): Beta-Blocker Therapy for Left Ventricular Systolic Dysfunction (LVSD)
11. Anti-depressant medication management: (a) Effective Acute Phase Treatment, (b) Effective Continuation Phase Treatment
12. Primary Open Angle Glaucoma (POAG): Optic Nerve Evaluation
13. Diabetic Retinopathy: Documentation of Presence or Absence of Macular Edema and Level of Severity of Retinopathy
14. Diabetic Retinopathy: Communication with the Physician Managing Ongoing Diabetes Care
15. Asthma Pharmacologic Therapy
16. Asthma Assessment
17. Appropriate Testing for Children with Pharyngitis
18. Oncology Breast Cancer: Hormonal Therapy for Stage IC-IIIC Estrogen Receptor/Progesterone Receptor (ER/PR) Positive Breast Cancer
19. Oncology Colon Cancer: Chemotherapy for Stage III Colon Cancer Patients



MU: Clinical Quality Measures

- **Additional Set CQM– EPs must complete 3 of 38 (cont.)**

19. Prostate Cancer: Avoidance of Overuse of Bone Scan for Staging Low Risk Prostate Cancer Patients
20. Smoking and Tobacco Use Cessation, Medical Assistance: a) Advising Smokers and Tobacco Users to Quit, b) Discussing Smoking and Tobacco Use Cessation Medications, c) Discussing Smoking and Tobacco Use Cessation Strategies
21. Diabetes: Eye Exam
22. Diabetes: Urine Screening
24. Diabetes: Foot Exam
25. Coronary Artery Disease (CAD): Drug Therapy for Lowering LDL-Cholesterol
26. Heart Failure (HF): Warfarin Therapy Patients with Atrial Fibrillation
27. Ischemic Vascular Disease (IVD): Blood Pressure Management
28. Ischemic Vascular Disease (IVD): Use of Aspirin or Another Antithrombotic
29. Initiation and Engagement of Alcohol and Other Drug Dependence Treatment: a) Initiation, b) Engagement
30. Prenatal Care: Screening for Human Immunodeficiency Virus (HIV)
31. Prenatal Care: Anti-D Immune Globulin
32. Controlling High Blood Pressure
33. Cervical Cancer Screening
34. Chlamydia Screening for Women
35. Use of Appropriate Medications for Asthma
36. Low Back Pain: Use of Imaging Studies
37. Ischemic Vascular Disease (IVD): Complete Lipid Panel and LDL Control
38. Diabetes: Hemoglobin A1c Control (<8.0%)




MU: Clinical Quality Measures

- **Eligible Hospitals and CAHs must complete all 15:**
 1. Emergency Department Throughput – admitted patients Median time from ED arrival to ED departure for admitted patients
 2. Emergency Department Throughput – admitted patients – Admission decision time to ED departure time for admitted patients
 3. Ischemic stroke – Discharge on anti-thrombotics
 4. Ischemic stroke – Anticoagulation for A-fib/flutter
 5. Ischemic stroke – Thrombolytic therapy for patients arriving within 2 hours of symptom onset
 6. Ischemic or hemorrhagic stroke – Antithrombotic therapy by day 2
 7. Ischemic stroke – Discharge on statins
 8. Ischemic or hemorrhagic stroke – Stroke education
 9. Ischemic or hemorrhagic stroke – Rehabilitation assessment
 10. VTE prophylaxis within 24 hours of arrival
 11. Intensive Care Unit VTE prophylaxis
 12. Anticoagulation overlap therapy
 13. Platelet monitoring on unfractionated heparin
 14. VTE discharge instructions
 15. Incidence of potentially preventable VTE



CMS Medicare and Medicaid EHR Incentive Programs Milestone Timeline





Resources to Get Help and Learn More

- Get information, tip sheets and more at CMS' official website for the EHR incentive programs:
<http://www.cms.gov/EHRIncentivePrograms>
Follow the latest information about the EHR Incentive Programs on Twitter at <http://www.Twitter.com/CMSGov>
- Learn about certification and certified EHRs, as well as other ONC programs designed to support providers as they make the transition:
<http://healthit.hhs.gov>



ONC Programs Designed to Support Achievement of Meaningful Use

Area of Support	ONC Program
Technical Assistance	Regional Extension Center Program: ONC has provided funding for 70 regional extension centers that will help providers with EHR vendor selection and support and workflow redesign. Go to http://healthit.hhs.gov/portal/server.pt/community/healthit_hhs_gov_re_c_program/1495
Health Information Exchange	State Health Information Exchange Program: Funding and technical assistance to states to support providers in achieving health information exchange requirements Nationwide Health Information Network Activities: Expanded definitions, specifications and sample implementations to support exchange to achieve meaningful use
Breakthrough Examples	Beacon Communities Program Demonstration communities involving clinicians, hospitals and consumers who are showing how EHRs can achieve breakthrough improvements in care
Human Resources	Workforce Training Programs Several distinct programs that are supporting the education of up to 45,000 new health IT workers to support implementation